

CITY OF DRY RIDGE
CITY COUNCIL SPECIAL MEETING
May 18, 2017

Council for the City of Dry Ridge met in regular session on May 18, 2017 at 6:00 p.m. at the Dry Ridge City Building, 31 Broadway, Dry Ridge, Kentucky, 41035, with the following present:

Mayor: James Wells

Council: Joni Pelfrey - absent

Sara Cummins - arrived at 6:32pm

Jim Hendy

Kenny Edmondson

Carisa Hughett

Clay Crupper

Staff: Amy Kenner

City Attorney: Pete Whaley

Mayor James Wells called the meeting to order at 6:25 p.m.

City Clerk/Treasurer Amy Kenner took attendance with four Council members being present. Sara Cummins arrived after attendance was taken at 6:32 pm

Mayor Wells presented the Agenda for approval.

Council member Kenny Edmondson Hughett moved, Council member Jim Hendy seconded to approve the agenda. Motion carried. Kenny Edmondson - yes, James Hendy - yes, Joni Pelfrey - absent, Sara Cummins - absent, Carisa Hughett - yes, Clay Crupper - yes.

OLD BUSINESS

1. ORDINANCE 830-2017 WATER RATE ORDINANCE

Mayor Wells presented the rate calculator with the options of a flat rate, a two-tier rate, and a four-tier rate.

A discussion was had regarding the different options.

A three-tier rate plan was proposed. 0-2,000 gallons would be charged at \$12.25 per 1,000 gallons; 2,001 - 10,000 gallons would be charged at \$11.67 per 1,000 gallons; 10,001 or more would be charged at \$11.27 per 1,000 gallons.

Council member Jim Hendy Hughett moved, Council member Sara Cummins seconded to approve the three-tier rate as proposed with rate change beginning with the bill due July 15, 2017. Motion carried. Kenny Edmondson - yes, James Hendy - yes, Joni Pelfrey - absent, Sara Cummins - yes, Carisa Hughett - yes, Clay Crupper - yes.

ADJOURNMENT

Council member Jim Hendy moved, Council member Sara Cummins seconded to adjourn at 7:29 pm. Motion carried. Kenny Edmondson - yes, James Hendy - yes, Joni Pelfrey - absent, Sara Cummins - yes, Carisa Hughett - yes, Clay Crupper - yes.

Amy Kenner, City Clerk/Treasurer

James Wells, Mayor